

NEBRASKA DEPARTMENT OF ENVIRONMENTAL AND ENERGY Air Compliance Section

NOTIFICATION of COMPLIANCE STATUS FORM

<u>Applicable Rule</u>: 40 CFR Part 63, Subpart XXXXXX - National Emission Standards for Hazardous Air Pollutants (NESHAP) for Nine Metal Fabrication and Finishing Source Categories at Area Sources - Promulgated 7/23/08.

Who is subject to this Rule?

You are subject to this rule if you meet **both** of the following conditions:

- 1. You own or operate an area source of hazardous air pollutants (HAPs) that is primarily engaged* in one of the nine source categories listed below:
 - (1) Electrical and electronic equipment finishing operations;
 - (2) Fabricated metal products manufacturing;
 - (3) Fabricated plate work (boiler shops) manufacturing;
 - (4) Fabricated structural metal manufacturing;
 - (5) Heating equipment manufacturing, except electric;
 - (6) Industrial machinery and equipment finishing operations;
 - (7) Iron and steel forging:
 - (8) Primary metal products manufacturing; and
 - (9) Valves and pipe fittings manufacturing.

A facility is an area source of HAPs if it emits or has the potential to emit less than 10 tons/year of any single HAP or less than 25 tons/year of combined HAPs.

- *Primary engaged means that the manufacture, fabrication, or forging of one or more products listed in one of the nine source categories comprises at least 50% of the production at a facility. Production quantities are established by the volume, linear foot, square foot, or other value suited to the specific industry. The period used to determine production should be the previous continuous 12 months of operation.
 - 2. You have at least one source that uses materials that contain or have the potential to emit metal fabrication or finishing metal HAP (MFHAP).
 - MFHAP is defined as compounds of cadmium, chromium, lead, manganese, and nickel, or any of these metals in their elemental form except for lead.
 - Materials containing MFHAP are defined to be materials that contain ≥ 0.1% by weight of cadmium, chromium, lead or nickel, and materials that contain ≥ 1.0% by weight of manganese.

If you determine your facility is not "primarily engaged" in any of the affected operations, you must document and retain your rationale for this determination pursuant to 63 Code of Federal Register 63.10(b)(3).

More information and guidance for this rule is available on the NDEE <u>Air Toxics Notebook</u>. You may also contact NDEE's Air Toxics Coordinator at (402) 471-2186.

If you are subject to this rule fill out the information below.

Print or type the following information for each facility for which you are making Notification of Compliance Status:

Facility Name:	Facility ID# (if ap	plicable):
Facility Address:		
City:	State:	Zip:
Responsible Official's Name/Title:		
Responsible Official's Phone Number:		
Responsible Official's Email Address:		
Responsible Official's Address if different than facility ac	ldress):	
City:	State:	Zip:

This form must be completed, signed and submitted to the following agencies.

Existing sources must submit this form by Nov 22, 2011.

New Sources must submit by Nov 20, 2008 or within 120 days of startup, whichever is later.

NDEE Air Compliance Section PO Box 98922

Lincoln, NE 68509-8922

<u>and</u> Region VII EPA – Air & Waste Management

11201 Renner Blvd Lenexa, Kansas 66219

If your facility is located in Omaha or in Lancaster County, you must submit a notification to the appropriate local air pollution control agency and Region VII EPA.

Compliance Dates

• New sources (i.e., commenced construction or reconstruction on or after April 3, 2008) must comply upon startup or July 23, 2008, whichever is later.

•	Existing sources (i.e., commenced construction or reconstruction before April 3, 2008) must comply by July 25, 2011.

Identification of Affected Operations

(1) The following are the operations at this facility subject^b to subpart XXXXXX (check all that apply):

Dry Abrasive Blasting		
	(1) Totally enclosed and unvented blast chambers	
	(2) Vented enclosures with a filtration control device	
	(3) Objects over 8 feet in any dimension without a filtration control	
Dry Machining		
Dry (Grinding or Dry Polishing with Stationary Machines	
Spra	y Painting	
	(1) In a spray booth	
	(2) Without a spray booth (for Fabricated Structural Metal facilities	
Weld	ling	
	(1) Use less than 2,000 pounds of MFHAP-containing ^b welding rod	
	(2) Use 2,000 pounds or more of MFHAP-containing ^b welding rod	

b Important Note: These operations are affected sources under subpart XXXXXX only if/when they use materials that contain or have the potential to emit metal fabrication or finishing metal HAP (MFHAP). MFHAP containing/potential is defined to be when the compounds of cadmium, chromium, lead, manganese, and nickel, or any of these metals in the elemental form with the exception of lead, are used or have the potential to be emitted in quantities of 0.1 percent or more, or 1.0 percent or more for elemental of compounds of manganese.

(2) The following table lists each dry abrasive blasting operation at this facility subject to subpart XXXXXX, noted previously in item (1):

Abrasive Blasting Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Method (Check all that apply)
		☐ Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		☐ Management practices
		☐ Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		☐ Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		☐ Management practices
		Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		☐ Totally enclosed, unvented
		☐ Vented, with control device; describe
		_ —
		Objects over 8 ft (with no control)
		☐ Management practices
		☐ Totally enclosed, unvented
		☐ Vented, with control device; describe
		Objects over 8 ft (with no control)
		☐ Management practices

Abrasive Blasting	НАР	Compliance Method	
Process Description / ID No.	Emitted or Used	(Check all that apply)	
	(Cd, Cr, Pb, Mn, Ni)	Totally enclosed, unvented	
		☐ Vented, with control device; describe	
		Objects over 8 ft (with no control)	
		Management practices	
		Totally enclosed, unvented	
		☐ Vented, with control device; describe	
		Objects over 8 ft (with no control)	
		Management practices	
		☐ Totally enclosed, unvented	
		☐ Vented, with control device; describe	
		Objects over 8 ft (with no control)	
(3) The following table lists operation subject to su	<u> </u>	dry grinding, or dry polishing previously in item (1):	
Dry Machining, Dry Grinding,	HAP		
or Dry Polishing	Emitted or Used	Compliance Method	
Process Description / ID No.	(Cd, Cr, Pb, Mn, Ni)	(Check all that apply)	
		☐ Control device;	
		describe	
		☐ Management practices	
		☐ Control device;	
		describe	
		☐ Management practices	
		☐ Control device;	
		describe	
		☐ Management practices	

Dry Machining, Dry Grinding,	НАР	Compliance Method
or Dry Polishing	Emitted or Used	(Check all that apply)
Process Description / ID No.	(Cd, Cr, Pb, Mn, Ni)	(Check all that apply)
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe
		☐ Control device;
		describe
		☐ Management practices
		☐ Control device;
		describe

(4) The following table lists each spray painting operation subject to subpart XXXXXX, noted previously in item (1):

Spray Painting Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Methods Employed (Check all that apply)
		Spray booth, PM filter, HVLP spray guns
		HVLP spray guns, only
		Management practices
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practices
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practices
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practices
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practices
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practices
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Management practices
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only

Spray Painting Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Methods Employed (Check all that apply)
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		Spray booth, PM filter, HVLP spray guns
		☐ HVLP spray guns, only
		☐ Management practices

(5) The following table lists each welding operation subject to subpart XXXXXX, noted previously in item (1):

Welding Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Methods Employed (Check all that apply)
		☐ Management practices
		Fume capture device; describe
		Management practices
		Fume capture device; describe
		Management practices
		Fume capture device; describe
		☐ Management practices
		Fume capture device; describe
		☐ Management practices
		Fume capture device; describe

Welding Process Description / ID No.	HAP Emitted or Used (Cd, Cr, Pb, Mn, Ni)	Compliance Methods Employed (Check all that apply)
		☐ Management practices
		☐ Fume capture device;
		describe
		☐ Management practices
		☐ Fume capture device;
		describe
		☐ Management practices
		☐ Fume capture device;
		describe
		☐ Management practices
		☐ Fume capture device;
		describe
		☐ Management practices
		☐ Fume capture device;
		describe
		☐ Management practices
		☐ Fume capture device;
		describe
		☐ Management practices
		☐ Fume capture device;
		describe
		☐ Management practices
		☐ Fume capture device;
		describe
 (6) The following applicable management practices are used at this facility, as practicable (check all that apply): Dry Abrasive Blasting Minimize dust generation during emptying of abrasive blasting enclosure to reduce MFHAP emissions, as practicable. 		
Operate all equipment associated with dry abrasive blasting operations according to the manufacturer's instructions.		

	Minimize excess dust in the surrounding area to reduce MFHAP emissions, as practicable.
	Enclose dusty abrasive storage areas and holding bins, seal chutes and conveyors that transport abrasive materials.
	Minimize excess dust in the surrounding area to reduce MFHAP emissions, as practicable
	Do not re-use dry abrasive blasting media unless contaminants (i.e., any material other than the base metal, such as paint residue) have been removed by filtration or screening, and the abrasive material conforms to its original size.
	When practicable, switch from high particulate matter (PM)-emitting blast media (e.g., sand) to low PM-emitting blast media (e.g., crushed glass, specular hematite, steel shot, aluminum oxide).
Dry I	Machining, Dry Grinding, Dry Polishing
	Minimize excess dust in the surrounding area to reduce MFHAP emissions, as practicable
	Operate equipment according to manufacturer's instructions.
<u>Spra</u>	y Painting
	Proper cleaning and storage of spray guns, if applicable.
	Training for employees using HVLP spray equipment, with certification as having completed classroom or hands-on training in the proper selection, mixing, and application of coatings, with refresher training repeated at least once every 5 years.
Weld	<u>ling</u>
	Operate equipment according to manufacturer's instructions.
	Use welding processes with reduced fume generation capabilities, if practicable. (e.g., gas metal arc welding (GMAW)—also called metal inert gas welding (MIG))
	Use welding process variations (e.g., pulsed current GMAW), which can reduce fume generation rates, if practicable.
	Use welding filler metals, shielding gases, carrier gases, or other process materials which are capable of reduced welding fume generation, if practicable.
	Optimize welding process variables (e.g., electrode diameter, voltage, amperage, welding angle, shield gas flow rate, travel speed) to reduce the amount of welding fume generated, if practicable.
	Use a welding fume capture and control system, operated according to the manufacturer's specifications, if practicable.

Yes, the facility referenced below IS operating in compliance with all of the relevant standa and other requirements of 40 CFR Part 63 subpart XXXXXX, National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Nine Metal Fabrication and Finish Source Categories No, the facility referenced below is NOT operating in compliance with the relevant standard And/or other requirements of 40 CFR Part 63 subpart XXXXXX, National Emission Standar for Hazardous Air Pollutants: Area Source Standards for Nine Metal Fabrication and Finish Source Categories Reason for noncompliance: A responsible official must certify below. A Responsible Official can be: The president, vice president, secretary, or treasurer of the company that owns the facility: An owner of the facility; The plant engineer or supervisor of the facility; A government official, if the facility is owned by the Federal, State, City, or County government; or A ranking military officer, if the facility is located at a military base. Pint or type the name and title of the Responsible Official for the facility: Name: Title: Telephone no.: Email (if available): I CERTIFY THAT INFORMATION CONTAINED IN THIS REPORT TO BE ACCURATE AND TRUTO THE BEST OF MY KNOWLEDGE.	Cert	incation of Compliance S	latus
And/or other requirements of 40 CFR Part 63 subpart XXXXXX, National Emission Standar for Hazardous Air Pollutants: Area Source Standards for Nine Metal Fabrication and Finish Source Categories Reason for noncompliance: A responsible official must certify below. A Responsible Official can be: The president, vice president, secretary, or treasurer of the company that owns the facility and owner of the facility; The plant engineer or supervisor of the facility; A government official, if the facility is owned by the Federal, State, City, or County government; or A ranking military officer, if the facility is located at a military base. Pint or type the name and title of the Responsible Official for the facility: Name: Title: Telephone no.: Email (if available): I CERTIFY THAT INFORMATION CONTAINED IN THIS REPORT TO BE ACCURATE AND TRUTO THE BEST OF MY KNOWLEDGE.		and other requirements of 40 CFI for Hazardous Air Pollutants: Are	R Part 63 subpart XXXXXX, National Emission Standards
A responsible official must certify below. A Responsible Official can be: • The president, vice president, secretary, or treasurer of the company that owns the facility; • An owner of the facility; • The plant engineer or supervisor of the facility; • A government official, if the facility is owned by the Federal, State, City, or County government; or • A ranking military officer, if the facility is located at a military base. Pint or type the name and title of the Responsible Official for the facility: Name: Title: Telephone no.: Email (if available): I CERTIFY THAT INFORMATION CONTAINED IN THIS REPORT TO BE ACCURATE AND TRUTO THE BEST OF MY KNOWLEDGE.		And/or other requirements of 40 (for Hazardous Air Pollutants: Are Source Categories	CFR Part 63 subpart XXXXXX, National Emission Standards
 The president, vice president, secretary, or treasurer of the company that owns the facile. An owner of the facility; The plant engineer or supervisor of the facility; A government official, if the facility is owned by the Federal, State, City, or County government; or A ranking military officer, if the facility is located at a military base. Pint or type the name and title of the Responsible Official for the facility: Name:			
 The president, vice president, secretary, or treasurer of the company that owns the facile. An owner of the facility; The plant engineer or supervisor of the facility; A government official, if the facility is owned by the Federal, State, City, or County government; or A ranking military officer, if the facility is located at a military base. Pint or type the name and title of the Responsible Official for the facility: Name:			
Telephone no.: Email (if available): I CERTIFY THAT INFORMATION CONTAINED IN THIS REPORT TO BE ACCURATE AND TRU TO THE BEST OF MY KNOWLEDGE.	Pii	 An owner of the facility; The plant engineer or supervi A government official, if the fagovernment; or A ranking military officer, if the 	sor of the facility; acility is owned by the Federal, State, City, or County e facility is located at a military base.
I CERTIFY THAT INFORMATION CONTAINED IN THIS REPORT TO BE ACCURATE AND TRUTO THE BEST OF MY KNOWLEDGE.	Na	ame:	Title:
TO THE BEST OF MY KNOWLEDGE.	Te	elephone no.:	Email (if available):
(Signature of Responsible Official) (Date)			AINED IN THIS REPORT TO BE ACCURATE AND TRUE
	(S	ignature of Responsible Official)	(Date)